

Package: ELMR (via r-universe)

September 16, 2024

Title Extreme Machine Learning (ELM)

Version 1.0

Author Alessio Petrozziello [aut, cre]

Maintainer Alessio Petrozziello <alessio.petrozziello@port.ac.uk>

Description Training and prediction functions are provided for the Extreme Learning Machine algorithm (ELM). The ELM use a Single Hidden Layer Feedforward Neural Network (SLFN) with random generated weights and no gradient-based backpropagation. The training time is very short and the online version allows to update the model using small chunk of the training set at each iteration. The only parameter to tune is the hidden layer size and the learning function.

Depends R (>= 3.2.2)

License GPL-2 | GPL-3

LazyData true

RoxygenNote 5.0.1

NeedsCompilation no

Date/Publication 2015-11-28 14:53:50

Repository <https://sojers92.r-universe.dev>

RemoteUrl <https://github.com/cran/ELMR>

RemoteRef HEAD

RemoteSha 90f2c9c2b2e1c90c1e7bd63fd159ba3a4c63cbe7

Contents

OSelm_train.formula	2
OSelm_training	2
predict_elm	3
preProcess	4

Index

5

`OSelm_train.formula` *Trains an extreme learning machine with random weights*

Description

Trains an extreme learning machine with random weights

Usage

```
OSelm_train.formula(formula, data, Elm_type, nHiddenNeurons, ActivationFunction,
N0, Block)
```

Arguments

<code>formula</code>	a symbolic description of the model to be fitted.
<code>data</code>	training data frame containing the variables specified in formula.
<code>Elm_type</code>	select if the ELM must perform a "regression" or "classification"
<code>nHiddenNeurons</code>	number of neurons in the hidden layer
<code>ActivationFunction</code>	"rbf" for radial basis function with Gaussian kernels , "sig" for sigmoidal function, "sin" for sine function, "hardlim" for hard limit function
<code>N0</code>	size of the first block to be processed
<code>Block</code>	size of each chunk to be processed at each step

Value

returns all the parameters used in the function, the weight matrix, the labels for the classification, the number of classes found, the bias, the beta activation function and the accuracy on the trainingset

`OSelm_training` *Trains an online sequential extreme learning machine with random weights*

Description

Trains an online sequential extreme learning machine with random weights

Usage

```
OSelm_training(p, y, Elm_Type, nHiddenNeurons, ActivationFunction, N0, Block)
```

Arguments

p	dataset used to perform the training of the model
y	classes vector for classification or regressors for regression
Elm_Type	select if the ELM must perform a "regression" or "classification"
nHiddenNeurons	number of neurons in the hidden layer
ActivationFunction	"rbf" for radial basis function with Gaussian kernels , "sig" for sigmoidal function, "sin" for sine function, "hardlim" for hard limit function
N0	size of the first block to be processed
Block	size of each chunk to be processed at each step

Value

returns all the parameters used in the function, the weight matrix, the labels for the classification, the number of classes found, the bias, the beta activation function and the accuracy on the trainingset

References

- [1] N.-Y. Liang, G.-B. Huang, P. Saratchandran, and N. Sundararajan, 'A Fast and Accurate On-line Sequential Learning Algorithm for Feedforward Networks' IEEE Transactions on Neural Networks, vol. 17, no. 6, pp. 1411-1423, 2006

Examples

```
x = runif(100, 0, 50)
y = sqrt(x)
train = data.frame(y,x)
train = data.frame(preProcess(train))
OSelm_train.formula(y~x, train, "regression", 100, "hardlim", 10, 10)
```

predict_elm

Prediction function for the ELM model generated with the elm_training() function

Description

Prediction function for the ELM model generated with the elm_training() function

Usage

```
predict_elm(model, test)
```

Arguments

model	the output of the elm_training() function
test	dataset used to perform the testing of the model, the first column must be the column to be fitted for the regression or the labels for the classification

Value

returns the accuracy on the testset

References

[1] N.-Y. Liang, G.-B. Huang, P. Saratchandran, and N. Sundararajan, "A Fast and Accurate On-line Sequential Learning Algorithm for Feedforward Networks" IEEE Transactions on Neural Networks, vol. 17, no. 6, pp. 1411-1423, 2006

Examples

```
x = runif(100, 0, 50)
y = sqrt(x)
train = data.frame(y,x)
train = data.frame(preProcess(train))
model = OSelm_train.formula(y~x, train, "regression", 100, "hardlim", 10, 10)
#' x = runif(100, 0, 50)
y = sqrt(x)
test = data.frame(y,x)
test = data.frame(preProcess(train))
accuracy = predict_elm(model, test)
```

preProcess

Pre processing function for the training and test data set. Each numeric variable is standardized between -1 and 1 and each categorical variable is coded with a dummy coding.

Description

Pre processing function for the training and test data set. Each numeric variable is standardized between -1 and 1 and each categorical variable is coded with a dummy coding.

Usage

```
preProcess(data)
```

Arguments

data	to be preprocessed
------	--------------------

Value

return the pre processed dataset

Index

0Selm_train.formula, [2](#)
0Selm_training, [2](#)

predict_elm, [3](#)
preProcess, [4](#)